QD QD U NS MSO4 MgS04 Trailing Zero Lack of leading Zero **ALL PRN MEDICATIONS ORDERED MUST HAVE A REASON **** Immodiated PHYSICANYEORDER Admit date: Pre-admit testing date: ADMIT/CAMPUSE () Downtown () Lakeside ADMIT CAMPUSE () Downtown () Lakeside DMIT CAMPUSE () Downtown () Lakeside ADMIT CAMPUSE () Downtown () Lakeside Place in outpatient status so Estimated length of stay		1	LE ABBREVIATIONS - DO NOT USE	
Base Ordered Tume Ordered PHYBICIAN'S ORDER Admit date:				0
Admit date:		***ALL PRN MEDICATIONS OF	RDERED MUST HAVE A REASON ****	
Admit date:	ate Ordered	Time Ordered	PHYSICIAN'S ORDER	
ADMIT/PATIENT STATUS ORDER A ADMIT CAMPUS: () Downtown ()Lakeside ADMIT Location: Dwet/Surg DNCU □CCU □SICU □NeuroICU □BMT □OBGYN □PEDI □TATU □PCU ADMIT Location: Dwet/Surg DNCU □CCU □SICU □NeuroICU □BMT □OBGYN □PEDI □TATU □PCU Admit to inpatient status > Estimated length of stay □ Place in outpatient status and begin observation services □ Place in outpatient status □ Place in observation status and begin observation services □ Biagnosis/Medical Necessity (Description/ICD code required): □ Procedure(s) (Description/CPT code required): □ Procedure(s) (Description/CPT code required): □ Frocedure(s) (Description/ICD code required): □ Frocedu				
a. ADMIT CAMPUS: () Downtown () Lakeside b. ADMIT Location: DMed/Surg DNICU DCCU DSICU DNeuroICU DBMT DOBGYN DPEDI DTATU DPCU c. INDICATE STATUS ORDER WITH A CHECKMARK: Admit to inpatient status -> Estimated length of stay			Pre-admit testing date:	
b. ADMIT Location: □Med/Surg □NICU □CCU □SICU □NeuroICU □BMT □OBGYN □PEDI □TATU □PCU c. INDICATE STATUS ORDER WITH A CHECKMARK: □ Admit to inpatient status → Estimated length of stay Place in outpatient status □ Place in outpatient status and begin observation services Assign to Physician:				
c. INDICATE STATUS ORDER WITH A CHECKMARK:				
□ Admit to inpatient status -> Estimated length of stay		e		EDI 🛛 TATU 🔍 PCU
□ Place in outpatient status □ Place in Observation status and begin observation services Assign to Physician:				
□ Place in Observation status and begin observation services Assign to Physician:		· · ·	th of stay	
Assign to Physician:		•		
Diagnosis/Medical Necessity (Description/ICD code required): Procedure(s) (Description/CPT code required): Procedure(s) (Description/CPT code required): If this is a combined case LIST SURGEON AND SERVICE LINE HERE: If this is a combined case LIST SURGEON AND SERVICE LINE HERE: Height		C		
Procedure(s) (Description/CPT code required):				
If this is a combined case LIST SURGEON AND SERVICE LINE HERE: If this is a combined case LIST SURGEON AND SERVICE LINE HERE: Drug Allergies: • Height	Diagnosis/Me	dical Necessity (Description/ICD c	ode required):	
If this is a combined case LIST SURGEON AND SERVICE LINE HERE: If this is a combined case LIST SURGEON AND SERVICE LINE HERE: Drug Allergies: • Height cm Weight Kays and other tests □ Chest xray (PA/LAT) □ EKG □ Other	Procedure(s)	(Description/CPT code required):_		
If this is a combined case LIST SURGEON AND SERVICE LINE HERE: If this is a combined case LIST SURGEON AND SERVICE LINE HERE: Drug Allergies: . Height cm Weight Kg Xrays and other tests Chest xray (PA/LAT) EKG Other				
. Drug Allergies:				
. Drug Allergies:				
. Drug Allergies:				
S. Xrays and other tests □ Chest xray (PA/LAT) □ EKG □ Other				
Chest xray (PA/LAT) □ EKG □ Other			<u> </u>	
Labs ✓ Reminder: For diabetics only: Glucose Level, Bedside Frequency: Once on admission Comment: goal glucose < 180 mg/dL, if > 180 notify anesthesia ✓ MRSA and MSSA screening per protocol in Pre-admission Testing □ Urine HCG (exceptions are previous hysterectomy or age >50 years with no menses for ≥ 2 years) □ Type and Screen □ Type and cross match units PRBC ON HOLD for OR (specify number of units) □ Type Units FFP ON HOLD for OR (specify number of units) □ Apheresis Platelets (equivalent to 5-6 pack of random donor platelets) ON HOLD for OR Physician's Signature Date & Time Nurse's Signature Date & Time Physician's Printed Name Nurse's Print Name CULANE HEALTH Affix Patient ID Label Here SYSTEMS ESR Preopeartive Order Set Patient Name:	•			
✓ Reminder: For diabetics only: Glucose Level, Bedside Frequency: Once on admission Comment: goal glucose < 180 mg/dL, if > 180 notify anesthesia ✓ MRSA and MSSA screening per protocol in Pre-admission Testing □ Urine HCG (exceptions are previous hysterectomy or age >50 years with no menses for ≥ 2 years) □ Type and Screen □ Type and cross match units PRBC ON HOLD for OR (specify number of units) □ Type Units FFP ON HOLD for OR (specify number of units) □				
Comment: goal glucose < 180 mg/dL, if > 180 notify anesthesia MRSA and MSSA screening per protocol in Pre-admission Testing Urine HCG (exceptions are previous hysterectomy or age >50 years with no menses for ≥ 2 years) Type and Screen Type and cross match units PRBC ON HOLD for OR (specify number of units) Type Units FFP ON HOLD for OR (specify number of units) Apheresis Platelets (equivalent to 5-6 pack of random donor platelets) ON HOLD for OR Physician's Signature Date & Time Nurse's Signature Date & Time Physician's Printed Name Nurse's Print Name Do NOT USE FORM AFTER THE ORDERS HAVE BEEN SIGNED AND FAXED/SCANNED FULANE HEALTH Affix Patient ID Label Here SYSTEMS ESR Preopeartive Order Set Patient Name:	. Labs	For diabatics only: Clucose Level Bed	side Frequency: Once on admission	
□ Urine HCG (exceptions are previous hysterectomy or age >50 years with no menses for ≥ 2 years) □ Type and Screen □ Type and cross match units PRBC ON HOLD for OR (specify number of units) □ Type Units FFP ON HOLD for OR (specify number of units) □ Apheresis Platelets (equivalent to 5-6 pack of random donor platelets) ON HOLD for OR 'hysician's Signature Date & Time Nurse's Signature Date & Time 'hysician's Printed Name Date & Time Do NOT USE FORM AFTER THE ORDERS HAVE BEEN SIGNED AND FAXED/SCANNED 'ULANE HEALTH Affix Patient ID Label Here SYSTEMS ESR Preopeartive Order Set		•		
Type and Screen Type and cross match units PRBC ON HOLD for OR (specify number of units) Type Units FFP ON HOLD for OR (specify number of units)Apheresis Platelets (equivalent to 5-6 pack of random donor platelets) ON HOLD for OR Physician's Signature Date & Time Do NOT USE FORM AFTER THE ORDERS HAVE BEEN SIGNED AND FAXED/SCANNED TULANE HEALTH SYSTEMS ESR Preopeartive Order Set Patient Name: M R #				、 、
Type and cross match units PRBC ON HOLD for OR (specify number of units) Type Units FFP ON HOLD for OR (specify number of units) Apheresis Platelets (equivalent to 5-6 pack of random donor platelets) ON HOLD for OR Physician's Signature Date & Time Nurse's Signature Date & Time Dat			y or age >50 years with no menses for ≥ 2 yes	ars)
Apheresis Platelets (equivalent to 5-6 pack of random donor platelets) ON HOLD for OR Physician's Signature Date & Time Nurse's Signature Date & Time Physician's Printed Name Nurse's Print Name Do NOT USE FORM AFTER THE ORDERS HAVE BEEN SIGNED AND FAXED/SCANNED FULANE HEALTH Affix Patient ID Label Here SYSTEMS ESR Preopeartive Order Set M R #	□ Type and cro	oss match units PRBC ON HOLD f		
Physician's Signature Date & Time Nurse's Signature Date & Time Physician's Printed Name Nurse's Print Name Date & Time Do Not Use Form AFter THE ORDERS HAVE BEEN SIGNED AND FAXED/SCANNED Date & Time CULANE HEALTH Affix Patient ID Label Here SYSTEMS ESR Preopeartive Order Set Patient Name:				
Physician's Printed Name Date & Time Date & Time DO NOT USE FORM AFTER THE ORDERS HAVE BEEN SIGNED AND FAXED/SCANNED TULANE HEALTH SYSTEMS ESR Preopeartive Order Set Patient Name: MR #	-		-	Date & Time
DO NOT USE FORM AFTER THE ORDERS HAVE BEEN SIGNED AND FAXED/SCANNED ULANE HEALTH SYSTEMS ESR Preopeartive Order Set Patient Name: M.R.#				
FULANE HEALTH Affix Patient ID Label Here SYSTEMS ESR Preopeartive Order Set Patient Name:	hysician's Printed N	ame	Nurse's Print Name	Date & Time
SYSTEMS ESR Preopeartive Order Set Patient Name: M R #		DO NOT USE FORM AFTER THE ORD	ERS HAVE BEEN SIGNED AND FAXED/SCANNED	
ESR Preopeartive Order Set Patient Name: M.R.#	ULANE HEALTH		Affix Patient ID Label Here	
Patient Name:	SYSTEMS			
M R #		ESR Preopeartive Order Set	Defeat Mana	
M.R.#				
			M.R.#	

POS 201904-100

	D	ANGEROU	S/UNACCEPTABLE ABB	REVIATIONS - D	O NOT USE	
	QD QO	D U IU	MS MSO4 MgSO4 Tra	ailing Zero La	ick of leading Zero	
	***	ALL PRN M	MEDICATIONS ORDERED	D MUST HAVE A	REASON ****	
Det	- Ordened Time	Ondened		BUNG		
Date	e Ordered Time	Ordered		PHIS	CIAN'S ORDER	
6.	Labs (continued) CBC with platelets/Dif Basic metabolic panel Comprehensive metabolic Liver function profile PT/INR PTT Platelet Function Assay Sed rate	olic panel	 CRP Transferrin PTH PTH-rp Vitamin D 25 Hydroxy Calcitonin Calcium TSH 	 Free T3 Free T4 Serum T3 Serum T4 Prealbumin HgbA1c PSA AFP CEA 	 Testosterone B-HCG Quant Urine toxicology UA/reflex culture (orindication) Urology patient Dysuria Utrina Suprapubic pain Other 	CVA tender ary frequency Fever
	Other					
	have clear liquids u admission testing **Most patients will Monst patients will Monst patients will Monst patients will All patients: NPO Vitals per routine (incomposition) Vitals per routine (incomposition) CHG Bath -> Com Hair removal -> Com Hair removal -> Com Lactated ringers s VTE Prophylaxis: Apply Sequential C Administer in Out (Do not administer in Out HEPARIN SC HEPARIN SC	p to arriva unit per p qualify, exc Surgical I s patients w except me cluding pu patient Sur ments: <u>Clc</u> omments: C compression to attent Sur compression to attent Sur patients r DIUM PC DIUM PC DIUM PC	clude patients if high aspirat <u>Recovery) Patients</u> NPO who do not qualify for ESR to ds after arrival to the hose lse ox) rgery: oths for pre-op scrub of su- Clip hair in area of surgic D00ml IV ON CALL on Device urgery (select based on hor receiving epidural block DRCINE 5000 UNIT SUE DRCINE 7500 UNIT SUE	ges and instruction risk e.g. bowel Past MIDNIGHT based on above record pital argical site on additional sal site in Outpation hospital guideline , please verify w 3Q ON CALL 3Q ON CALL (C	ions to dispensed pati obstruction or non-funct Γ Except meds only ommendations*** <u>mission</u> ent Surgery room s) ith anesthesiologist) onsider if BMI ≥40kg	tioning GI tract**
Ph	ysician's Signature		Date & Time	Nurse's Signat	ure	Date & Time
Phy	ysician's Printed Name			Nurse's Print Na	ame	Date & Time
L		DO NOT USE I	FORM AFTER THE ORDERS HAVE	BEEN SIGNED AND FA	XED/SCANNED	
	JLANE HEALTH		Af	fix Patient ID Label	Here	
Зĭ	STEMS FSR	Preoperative	order Set			
	LON	. 100perative	Pa			
			М.	K.#		

DANGEROUS/UNACCEPTABL	E ABBREVIATIONS - DO NOT USE	
QD QOD U IU MS MSO4 MgSO		0
ALL PRN MEDICATIONS OR	DERED MUST HAVE A REASON *	
Date Ordened		
Date Ordered Time Ordered	PHYSICIAN'S ORDER	
 12. Outpatient Surgery Medications Administer oral medications with small sip of If the patient cannot tolerate pills by mouth: Scopolamine Transdermal patch 1.5mg (apply be (Contraindicated in patients with narrow angle) Acetaminophen 1000mg PO x1 ON CALL (contrained contrained contrai	convert PO meds to liquid version if av behind ear in Outpatient Surgery prior to s e glaucoma, elevated intraocular pressur	surgery) e, & age >65 years)
 Gabapentin 600mg PO x1 ON CALL (For pati Gabapentin 300mg PO x1 ON CALL (For pati Gabapentin 100mg PO X1 ON CALL (Considered) 	tents <60 years old/ serum Cr <1.5 mg/dl) tents \geq 60 & <70 years old / serum Cr \geq 1.5	
 Celecoxib 400mg PO x1 ON CALL (For patien Celecoxib 200mg PO x1 ON CALL (For patien Methylnaltrexone 12mg SUBQ ON CALL (Determined on the patient) 	tts ≥ 60 years old/ serum Cr ≥ 1.5 mg/dl) ecrease dose if patient <60kg and/or Cr ≥ 1	.5mg/dl)
□ Other (Dispense as written)		
13. Antibiotic Prophylaxis: (SEND ON CALL TO O (except vancomycin, ciprofloxacin, levofloxacin and fluce		
****SEE FINAL PAGE OF ORDERSET	FOR ANTIBIOTIC GUIDELINES	***
Other antibiotics (Dispense as written)		
 □ Cefazolin 2 grams IV (weight < 120kg) on call □ Cefazolin 3 grams IV (weight ≥ 120kg) on call □ Cefoxitin 2 grams IV on call □ Ampicillin 2 grams IV on call □ Ampicillin/sulbactam 3 grams IV on call □ Ampicillin/sulbactam 1.5 grams (weight ≤ 80kg) IV on call □ Piperacillin/tazobactam 3.375 gram IV on call □ Fluconazole 400mg IV on call □ Auto consult to pharmacy for dosing when IV Var 	 Aztreonam 2 gram IV on call Ciprofloxacin 400mg IV on call Clindamycin 900mg IV on call Gentamycin 5mg/kg IV on call Gentamycin 80mg IV on call Levofloxacin 500mg IV on call Metronidazole 500mg IV on call Vancomycin 15mg/kg IV on call 	
Physician's Signature Date & Time	Nurse's Signature	Date & Time
Physician's Printed Name	Nurse's Print Name	Date & Time
DO NOT USE FORM AFTER THE ORDE	RS HAVE BEEN SIGNED AND FAXED/SCANNED	
TULANE HEALTH SYSTEMS	Affix Patient ID Label Here	
ESR Preoperative Order Set		
	Patient Name:	
	M.R.#	

	DANGEROUS/UNACCEPTABL	E ABBREVIATIONS - DO NOT USE	
Q		04 Trailing Zero Lack of leading Zero	
	ALL PRN MEDICATIONS OR	DERED MUST HAVE A REASON *	
Date Ordered	Time Ordered	PHYSICIAN'S ORDER	
	Time Ordered	PHISICIAN SONDER	
 15. Local Anesthetic Bupivacaine Bupivacaine Bupivacaine Bupivacaine 	thesiology for post-operative pain (on CALL TO OR) 0.25% vial ON CALL to OR 0.25% with epinephrine 1:200,00 0.5% vial ON CALL to OR 0.5% with epinephrine 1:200,00 viense as written)	vial ON CALL to OR ial ON CALL to OR	
	nd opium suppository x1 ON CAL		
	ntact if there are problem with the Contact numb		
 Th Ya Ya Hi 	O avoids delays make sure the fo ne physician has signed every pay ou included a surgery date ou included ICD codes ou included CPT codes story and Physical in chart (<30	ge days before surgery)	
Physician's Signature	Date & Time	Nurse's Signature	Date & Time
Physician's Printed Nam	ne	Nurse's Print Name	Date & Time
		RS HAVE BEEN SIGNED AND FAXED/SCANNED	
TULANE HEALTH SYSTEM		Affix Patient ID Label Here	
	ESR Preoperative Order Set		
		Patient Name:	
		M.R.#	

POS 201904-100

PRE-OPERATIVE ANTIBIOTIC REFERENCE --- NO ORDERS ON THIS PAGE

	atient response with one or more of the following signs/symptoms:
	ves. In the absence of these findings, an antibiotic of the same
classification may be used for surgical prophyla	
Indication Abdominal: Esophageal, Bariatrics; Gastroduodenal; Biliary non infected; Gynecological: C-section [administer within 60 minutes prior to incision); <i>before</i> cord clamping]	Pre-op Antimicrobial & Dose Cefazolin 2 g (3g if >120 kg) IV x 1 dose Allergy: clindamycin 900mg IV + gentamicin 5 mg/kg IV x 1 dose
Abdominal : appendectomy, biliary infection, colorectal surgery of any type, whipple or small bowel	Colorectal prep: neomycin sulfate 1 g + erythromycin base 1g PO at 19, 18, & 9 hours prior to surgery (home therapy) + cefoxitin 2 g IV x 1 dose Allergy : metronidazole 500 mg IV + gentamicin 5 mg/kg IV x 1 dose
General: any implanted foreign body; hernia repair; PEG tubes; Head & Neck: clean procedures; Plastic Surgery	Cefazolin 2 g (3 g if >120 kg) IV x 1 dose Allergy: clindamycin 900mg IV x 1 dose
Cardiac : coronary artery bypass graft (CABG) +/- valve implant, pacemaker & other implants	Cefazolin 2 g (3g if >120 kg) IV x 1 dose Allergy : vancomycin 15 mg/kg IV + gentamicin 5 mg/kg IV x 1 dose <u>MRSA concern</u> : vancomycin 15 mg/kg IV + cefazolin 2 g (3 g if >120 kg) IV x 1 dose Allergy : vancomycin 15 mg/kg IV + gentamicin 5 mg/kg IV x 1 dose
Cardiac : pacemaker, defibrillator, ventricular assist device, & other implanted device	Cefazolin 2 g (3g if >120 kg) IV x 1 dose Allergy: clindamycin 900mg IV x 1 dose Allergy: vancomycin 15 mg/kg IV x 1 dose
Gynecological: all hysterectomy Synthetic pubovaginal sling	cefoxitin 2 g IV x 1 dose Allergy: Clindamycin 900 mg IV + gentamicin 5 mg/kg IV x 1 dose
Head & Neck Clean-contaminated procedures (oropharyngeal mucosa is compromised)	Ampicillin/sulbactam 3g (1.5g if less than 80kg) IV x 1 dose Allergy: clindamycin 900 mg IV x 1
Neurosurgery: craniotomy, shunts, laminectomies, & spinal fusion; Thoracic : non-cardiac	Cefazolin 2 g (3 g if >120 kg) IV x 1 dose Allergy: vancomycin 15 mg/kg IV x 1 dose
Orthopedic: internal fixation of fracture & joint replacement (hip or knee), any implanted foreign body	Cefazolin 2 g (3 g if >120 kg) IV x 1 dose Allergy/MRSA concern: vancomycin 15mg/kg IV x 1 dose **complete infusion before tourniquet inflation** Gentamicin 5mg/kg IV x 1 dose (if gram negative concern)
Urologic : TURP only, otherwise **indicated only for patients with known bacteriuria**	Cefazolin 2g (3 g if >120 kg) IV x 1 dose If catheter in place : Ampicillin 2 grams IV q6h + Gentamicin 5 mg/kg IV once Allergy : clindamycin 900mg IV x 1 dose + gentamicin 5mg/kg IV x 1 dose
Urologic: transrectal biopsy	Gentamicin 80mg IV + Ciprofloxacin 400mg IV x1 cefoxitin 2g IV once
Urologic : Open/lap; cystoscopy with manipulation or upper tract instrumentation (lithotripsy, ureteroscopy)	Cefazolin 2 g (3 g if >120 kg) IV x 1 dose + gentamicin 5mg/kg IV x 1 dose Allergy: clindamycin 900mg IV + gentamicin 5mg/kg IV x 1 dose
Urologic: prosthetics, stents, penile prosthetics	Cefazolin 2 g (3 g if >120 kg) IV x 1 dose + gentamicin 5mg/kg IV x 1 dose Allergy: vancomycin 15mg/kg IV + gentamicin 5mg/kg IV x 1 dose
Vascular : amputation, arterial surgery, vascular access devices, implants, repair	Cefazolin 2 g (3 g if >120 kg) IV x 1 dose Allergy: vancomycin 15mg/kg IV + gentamicin 5mg/kg IV x 1 dose

Effective 01/01/2016 MEDICARE ORDER FORM

DIAGNOSIS:

SCHEDULED PROCEDURE & DATE:

TWO MIDNIGHTS OR MORE

I expect the patient will require hospital care for TWO MIDNIGHTS OR MORE. (Documentation must be present in the medical record to support the expectation of two or more midnights.)

□ ADMIT TO INPATIENT STATUS

LESS THAN TWO MIDNIGHTS (Check only one status - either Inpatient or Outpatient) I expect the patient will require hospital care for LESS THAN TWO MIDNIGHTS or I am uncertain as to the length of stay. PLACE PATIENT IN OUTPATIENT STATUS PLACE PATIENT IN OUTPATIENT STATUS and BEGIN OBSERVATION SERVICES (Observation is a defined set of monitoring services that is typically ordered to evaluate a patient's condition for the purpose of determining whether the patient should be admitted as an inpatient or discharged.) ADMIT TO INPATIENT STATUS (Documentation must be present in the medical record to support at least one of the following selections; check all that apply.)

Inpatient only procedure define	ed by CMS' Inpatient Only List

Patient is medically unstable and requires immediate medical intervention,	as well as frequent
monitoring and changes in treatment plan	

Patient has significant risk factors that increase	the probability of an adverse event if not monitored
closely for an extended time period	

Patient requires active clinical monitoring	, diagnostic studies,	procedures	or treatment that	cannot be
completed safely in an outpatient setting				

Patient failed to improve following outpatient treatment that necessitates further evaluation and treatment

TO BE VALID, THE ORDER MUST BE SIGNED, DATED AND TIMED BEFORE PATIENT DISCHARGE.

Telephone/Verbal Order pe	er Admitting Physician Name (print)	Taken/Read Back by _	Date Signature/Credential	e/Time:
Resident Signature:			Date/Time:	
Physician Signature:			Date/Time:	
	PATIENT INFORMATIO	N		
MEDICARE ORDER FORM S	LAST NAME:	FIRST NAME:		DOB:
MOS 01/01/16	PHYSICIAN:			•

DATE:	SHORT STAY FORM
History	
Chief Complaint/Admit DX:	
Present Illness:	
Significant Findings:	
Family Medical History:	
Past Operations:	
Social History: Alcohol Mental History: Alert Immunization Record: (Pediatric): PHYSICAL EXAMINATION:	Tobacco Other: Disoriented Drowsy Lethargic Other T
General:	P R BP BP HEENT: Heart: Lungs: Abdomen: Neurological: procedure): Impression:
PHYSICIAN'S SIGNATURE:	DATE/TIME:
	DISCHARGE SUMMARY:
Final Diagnosis:	
-	_SoftLiquidOther:
	AmbulatoryAfebrileVoidingVital Signs Stable
_	
PHYSICIAN'S SIGNATURE:	DATE/TIME:
PHYSICIAN'S Printed Name:	
Tulane Medical Center 1415 Tulane Ave. New Orleans, LA	
	SHORT STAY FORM
SSS 201011-0172	Page 1 of 1

READ CAREFULLY BEFORE SIGNING

TO THE PATIENT: Your physician has recommended that you consider medical treatment/surgery. Louisiana law requires your physician to tell you (1) the nature of your condition; (2) the general nature of the medical treatment/surgery; (3) the risks of the proposed treatment/surgery, as defined by the Louisiana Medical Disclosure Panel or as determined by your doctor; (4) reasonable therapeutic alternatives and material risks associated with such alternatives; and (5) risks of no treatment.

You have the right, as a patient, to be informed about your condition and the recommended surgical, medical or diagnostic procedure to be used so that you make the decision whether or not to undergo the procedure after knowing the risks and hazards involved. Your physician wants you to be as informed as possible. Please read each page of this form carefully. Ask about anything you do not understand and your physician will be pleased to explain.

1.	Patient Name:
2.	Treatment/Procedure:
3.	Anesthesia to be used: GENERAL: OTHER:
4.	Description of the treatment/procedure:
5.	Indications for treatment/procedure:
6.	Anticipated Benefits of the Treatment/Procedure:

7. <u>Material Risks of Treatment/Procedure:</u>

All medical or surgical treatment involves risks. Listed here and on the attached pages that relate to your specific treatment/procedure are risks associated with this treatment/procedure, its recuperation, and anesthesia, including the likelihood of the risks, based on the available clinical evidence, as informed by the responsible physician's clinical judgment. Material risks could include risks with a high degree of likelihood but a low degree of severity, as well as those with a very low degree of likelihood but high degree of severity that we believe a reasonable person in your (the patient's) position would likely consider significant when deciding whether to have or forego the proposed therapy. Please ask your physician if you would like additional information regarding these risks.

- a) Risks generally associated with any surgical treatment/procedure, including anesthesia are: **death**, **brain damage**, **disfi guring scars**, **quadriplegia (paralysis from neck down)**, **paraplegia (paralysis from the waist down)**, **the loss or loss of function of any organ or limb**, **infection**, **bleeding**, **and pain**.
- b) _____Risks listed for your procedure by the Louisiana Medical Disclosure Panel:______

_____Risks determined by your physician :______

c) Additional risks (if any) particular to the patient because of a complicating medical condition:

Lower Extremity swelling, lower extremity neuropraxia, venothromboembolism, compartment syndrome,

8. Treatment alternatives including attendant risks and benefits:

Tulane Medical Center



Consent Medical Treatment or Surgical Procedure

TREAT 2014-11

READ CAREFULLY BEFORE SIGNING

9. Risks of no treatment:

10. Acknowledgment, Authorization, and Consent

- (a) <u>No Guarantees:</u> I understand that all information given me, and in particular, all estimates as to risks and benefits of this or alternate procedures are made in my physician's best professional judgment. Complications cannot always be accurately anticipated and therefore, there is and can be no guarantee either expressed or implied, as to the success of the medical treatment or surgical procedure.
- (b) **<u>Particular Concerns</u>**: I have had an opportunity to discuss with my physician those risks or other potential consequences of the medical treatment or surgical procedure that are of particular concern to me.
- (c) **Questions:** I have had an opportunity to ask my physician, and I have asked, any questions I may have about the information in this Consent Form and other questions I have about the proposed treatment or procedure and all such questions were answered satisfactorily.
- (d) Authorized physician: Physician (or physician group) responsible for treatment, procedure or therapy described in Item #2, is:

Printed Name:

(e) Who will administer Anesthesia:

(f) Physicians other than the Authorized Physician (including but not limited to residents)

be performing important tasks related to the surgery, under the supervision of the authorized physician, in accordance with the hospital's policies and the practitioner(s)' or resident(s)' availability and competence level. Important surgical tasks include: opening and closing, dissecting tissue, removing tissue, harvesting grafts, transplanting tissue, administering anesthesia, implanting devices and placing invasive lines. I am aware that the authorized physician may not be physically present in the same operating room for some or all of the surgical tasks performed by the resident(s).

(g) <u>PHYSICIAN CERTIFICATION</u>: I hereby certify, to the best of my knowledge and ability, I have provided and explained the information contained in this Consent Form, including any attachments, and answered all questions of the patient or the patient's representative concerning the medical treatment, therapy or surgical procedure to be performed.

Signature of Physician:

_Date:_____Time:

Printed Name of Physician:

PATIENT'S CONSENT: I, the patient or the patient's representative, hereby authorize and direct the designated physician, together with associates, assistants, residents or qualified medical practitioners of my physician's choice, to administer or perform the medical treatment or surgical procedure described in Item #2 of this Consent Form. I also consent to any additional procedures or services as they may deem necessary or reasonable, including the administration of general or regional anesthesia, x-rays or other radiological services, laboratory services, and the disposal of tissue removed during a diagnostic or surgical procedure.

I have read and understand all information set forth in this document, including any attachments, and all blanks were filled in prior to my signing. This authorization for and consent to medical or surgical procedure is and shall remain valid until revoked.

I acknowledge that I have had the opportunity to ask my physician any questions I have about the contemplated medical treatment or surgical procedure described in Item #2 of this Consent Form, including risks and alternatives, and acknowledge that my questions have been answered to my satisfaction.

Signature of Patient or Person Authorized to Consent	Date	Time	Signature of Witness	Date	Time	
Relationship to Patient (if signature is not patient's)			Printed Name of Witness			
Tulane Medical Center						
			Consent Medical Treatment or Surgical Procedure			
TREAT 2014-11			Page 2 of 2			

Transfusion of Blood and Blood Components - page 1 of 3

READ CAREFULLY BEFORE SIGNING

TO THE PATIENT: Your physician has recommended that you consider medical treatment/surgery. Louisiana law requires your physician to tell you (1) the nature of your condition; (2) the general nature of the medical treatment/surgery; (3) the risks of the proposed treatment/surgery, as defined by the Louisiana Medical Disclosure Panel or as determined by your doctor; (4) reasonable therapeutic alternatives and material risks associated with such alternatives; and (5) risks of no treatment.

You have the right, as a patient, to be informed about your condition and the recommended surgical, medical or diagnostic procedure to be used so that you make the decision whether or not to undergo the procedure after knowing the risks and hazards involved. Your physician wants you to be as informed as possible. Please read each page of this form carefully. Ask about anything you do not understand and your physician will be pleased to explain.

GENERAL: _____OTHER: _____

1. Patient Name:

- 2. <u>Treatment/Procedure</u>: <u>Transfusion of Blood and Blood Components</u>
- 3. <u>Anesthesia to be used</u>:

4. <u>Description of the treatment/procedure</u>:

5. <u>Indications for treatment/procedure</u>:

6. <u>Anticipated Benefits of the Treatment/Procedure:</u>

7. <u>Material Risks of Treatment/Procedure</u>:

All medical or surgical treatment involves risks. Listed here and on the attached pages that relate to your specific treatment/procedure are risks associated with this treatment/procedure and anesthesia, including the likelihood of the risks, based on the available clinical evidence, as informed by the responsible physician's clinical judgment. Material risks could include risks with a high degree of likelihood but a low degree of severity, as well as those with a very low degree of likelihood but high degree of severity that we believe a reasonable person in your (the patient's) position would likely consider significant when deciding whether to have or forego the proposed therapy. Please ask your physician if you would like additional information regarding these risks.

- a) Risks generally associated with any surgical treatment/procedure, including anesthesia are: death, brain damage, disfiguring scars, quadriplegia (paralysis from neck down), paraplegia (paralysis from the waist down), the loss or loss of function of any organ or limb, infection, bleeding, and pain.
- b) <u>X</u> Risks listed for your procedure by the Louisiana Medical Disclosure Panel: (1) Fever, (2) Transfusion reaction which may include kidney failure or anemia, (3) Heart failure, (4) Hepatitis, (5) AIDS (acquired immune deficiency syndrome), (6) Other infections.

_____Risks determined by your physician: ______

c) Additional risks (if any) particular to the patient because of a complicating medical condition:

8. <u>Treatment alternatives including attendant risks and benefits</u>:

Transfusion of Blood and Blood Components - page 2 of 3

READ CAREFULLY BEFORE SIGNING

9. Risks of no treatment:

10. Acknowledgment, Authorization, and Consent

- (a) **No Guarantees:** I understand that all information given me, and in particular, all estimates as to risks and benefits of this or alternate procedures are made in my physician's best professional judgment. Complications cannot always be accurately anticipated and therefore, there is and can be no guarantee either expressed or implied, as to the success of the medical treatment or surgical procedure.
- (b) **Particular Concerns:** I have had an opportunity to discuss with my physician those risks or other potential consequences of the medical treatment or surgical procedure that are of particular concern to me.
- (c) **Questions:** I have had an opportunity to ask my physician, and I have asked, any questions I may have about the information in this Consent Form and other questions I have about the proposed treatment or procedure and all such questions were answered satisfactorily.
- (d) Authorized physician: Physician (or physician group) responsible for treatment, procedure or therapy described in Item #2, is:

Printed Name:_____

- (e) <u>Who will administer Anesthesia:</u> _____
- (f) Physicians other than the Authorized Physician (including but not limited to residents)

be performing important tasks related to the surgery, under the supervision of the authorized physician, in accordance with the hospital's policies and the practitioner(s)' or resident(s)' availability and competence level. Important surgical tasks include: opening and closing, dissecting tissue, removing tissue, harvesting grafts, transplanting tissue, administering anesthesia, implanting devices and placing invasive lines. I am aware that the authorized physician may not be physically present in the same operating room for some or all of the surgical tasks performed by the resident(s).

(g) <u>PHYSICIAN CERTIFICATION</u>: I hereby certify, to the best of my knowledge and ability, I have provided and explained the information contained in this Consent Form, including any attachments, and answered all questions of the patient or the patient's representative concerning the medical treatment, therapy or surgical procedure to be performed.

Date: Time:

Signature of Physician:

Printed Name of Physician:

PATIENT'S CONSENT: I, the patient or the patient's representative, hereby authorize and direct the designated physician, together with associates, assistants, residents or qualified medical practitioners of my physician's choice, to administer or perform the medical treatment or surgical procedure described in Item #2 of this Consent Form. I also consent to any additional procedures or services as they may deem necessary or reasonable, including the administration of general or regional anesthesia, x-rays or other radiological services, laboratory services, and the disposal of tissue removed during a diagnostic or surgical procedure.

I have read and understand all information set forth in this document, including any attachments, and all blanks were filled in prior to my signing. This authorization for and consent to medical or surgical procedure is and shall remain valid until revoked.

I acknowledge that I have had the opportunity to ask my physician any questions I have about the contemplated medical treatment or surgical procedure described in Item #2 of this Consent Form, including risks and alternatives, and acknowledge that my questions have been answered to my satisfaction.

Signature of Patient or Person Authorized to Consent	Date	Time	Signature of Witness	Date	Time
Relationship to Patient (if signature is not patient's)			Printed Name of Witness		

Informed Consent - Transfusion of Blood and Blood Components (2/3) Rev 11/2014

Transfusion of Blood and Blood Components - page 3 of 3 READ CAREFULLY BEFORE SIGNING

Informed Consent- Transfusion of Blood and Blood Components

Patient Instruction sheet- Not part of the medical record

WHAT IS A BLOOD TRANSFUSION

You may need to receive blood in order to stabilize your condition or to save your life. The type of transfusion and amount of blood that is given to you is a decision your physician will make based on your individual needs. Blood transfusions are given to replace the part of the blood that is missing. If you are anemic, your red blood cell level is lower than the level needed to carry adequate oxygen to the cells in your body. The transfusion given to correct anemia contains red blood cells. If you have a low platelet count and are at risk for bleeding, the component given to you is a platelet concentrate. Plasma or Cryoprecipitate are given to manage clotting problems.

WHAT ARE THE SIDE AFFECTS

Most transfusions proceed without incident. Occasionally, problems arise. You may feel a cold sensation, due to the cool temperature of the blood. Sometimes, fever, chills and hives can occur, which are usually not significant. Rarely, more serious problems, such as infection, shortness of breath, back or chest pain, nausea, vomiting, fainting, or confusion may occur. If you have any of these symptoms during or after the transfusion, immediately call your Nurse or Doctor for assistance. If you have bleeding from the infusion site, you or your Nurse should apply firm pressure directly to the area until the blooding stops.

Delayed reactions may occur days to weeks after a transfusion. Any changes in your general health such as unusual tiredness, change in appetite, unplanned weight loss, kidney failure, dark urine, yellowing eyes or skin (jaundice), swollen glands or heavy sweating at night should be immediately reported to your Doctor.