



**ADDENDUM TO INFORMED
CONSENT -
EXTRACORPOREAL
SHOCK WAVE
LITHOTRIPSY**
PAGE 1 OF 1

PATIENT INFORMATION

PLACE PATIENT'S LABEL HERE

**SYNOPSIS OF MATERIAL RISKS THAT MUST BE SPECIFIED IN AN INFORMED"
CONSENT, AS PRESCRIBED BY LOUISIANA LAW**
UROLOGY

Material risks associated with the medical treatment, surgical procedure, or other therapy described as required by the Louisiana Medical Disclosure Panel.

Extracorporeal Shock Wave Lithotripsy (Using Shock Waves To Break Up Kidney Or Ureteral Stones)

- Bleeding in or around kidney;
- Obstruction of kidney by stone particles;
- Failure to completely fragment stone requiring repeat treatment or other form of treatment;
- High blood pressure (transient or permanent);
- Loss of kidney.

Other Material Risks:

| | | | |
|---|---|----------------------|-----------------------|
| Printed Name of Physician: | Physician's Signature: X | Date MM/DD/YY / / | Time 00:00 AM/PM : |
| Printed Name of Patient or Authorized Representative: | Patient or Authorized Representative's Signature: X | Date MM/DD/YY / / | Time 00:00 AM/PM : |
| Relationship to patient (if other than patient): | | | |
| Printed Name of Witness: | Witness's Signature: X | Date MM/DD/YY / / | Time 00:00 AM/PM : |

