

**TOURO INFIRMARY – ADDENDUM TO INFORMED CONSENT**

**SYNOPSIS OF MATERIAL RISKS THAT MUST BE SPECIFIED IN AN INFORMED  
CONSENT, AS PRESCRIBED BY LOUISIANA LAW**

**UROLOGY**

Material risks associated with the medical treatment, surgical procedure, or other therapy described as required by the Louisiana Medical Disclosure Panel.

**Pyeloplasty (Pyeloureteroplasty Reconstruction Of Kidney Drainage System)**

- Obstruction of urinary flow;
- Leakage of urine at surgical site;
- Injury to or loss of kidney;
- Damage to adjacent organs;
- Decrease in kidney function –temporary/permanent;
- Infection with resultant failure of surgery and/or loss of kidney function.

**Other Material Risks:**

---



---



---



---

Printed Name of Physician:	Physician's Signature: <b>X</b>	Date MM/DD/YY / /	Time 00:00 AM/PM :
Printed Name of Patient or Authorized Representative:	Patient or Authorized Representative's Signature: <b>X</b>	Date MM/DD/YY / /	Time 00:00 AM/PM :
Relationship to patient (if other than patient):			
Printed Name of Witness:	Witness's Signature: <b>X</b>	Date MM/DD/YY / /	Time 00:00 AM/PM :

